





for for Limits Id: Title, Limits Abstra			Structure	OMIM		Journals Glear	s Bo
☑ Limits ld: Title, Lim	nits: Revi		History	Clir		Glear	
ld: Title, Lin	nits: Revi		History	Clie			
			•	Clif	pboard	[Details
	act		how: 20 🔄	Sort	ହ ୃତ୍ତ	T அள	ext
1: Breast Car	ncer Res	Γreat. 1994	;32(3):291-30	00.		Related /	Articles, L
tamoxife	en in bro	east cance	er cell lines.	,	iction l	by stero	ids an
Hospital, We demon	Ontario, (Canada. at the stero	id hormone re	eceptor-p	ositive t	oreast car	rcinoma
prostate sp both cell l in the cell PSA prod- used to stu of new the	neecific an ines and, line T-47 uction by ady the plerapy.	tigen (PSA in addition D. These of breast turn henomenon). Estrogens in the control of the c	failed to in the block the stand extending the an in application	induce s ne induct d our pro vitro sy on in pro	uch stim tion by a evious re stem wh	ulation ndroger port on ich can
	Induction tamoxife Yu H, Dia Departme Hospital, of the demonstrate sphoth cell line for the cell PSA prodused to stroof new the	Induction of protamoxifen in brotamoxifen in brotamoxifen in brotamoxifen in brotamoxifen in brotamoxifen in the cell lines T-47D and mineral ocorticoster prostate specific and both cell lines and, in the cell line T-47 PSA production by used to study the plof new therapy.	Induction of prostate spetamoxifen in breast cancer. Yu H, Diamandis EP, Zargh. Department of Clinical Biocher. Hospital, Ontario, Canada. We demonstrate that the steroicell lines T-47D and MCF-7 comineral corticosteroids, glucor prostate specific antigen (PSA both cell lines and, in addition in the cell line T-47D. These of PSA production by breast tumused to study the phenomenon of new therapy.	Induction of prostate specific antige tamoxifen in breast cancer cell lines. Yu H, Diamandis EP, Zarghami N, Gras Department of Clinical Biochemistry, Toro Hospital, Ontario, Canada. We demonstrate that the steroid hormone recell lines T-47D and MCF-7 can be induced mineralocorticosteroids, glucocorticosteroid prostate specific antigen (PSA). Estrogens to both cell lines and, in addition, were able to in the cell line T-47D. These data support a PSA production by breast tumors and descrused to study the phenomenon for possible of new therapy.	Yu H, Diamandis EP, Zarghami N, Grass L. Department of Clinical Biochemistry, Toronto West Hospital, Ontario, Canada. We demonstrate that the steroid hormone receptor-p cell lines T-47D and MCF-7 can be induced by and mineralocorticosteroids, glucocorticosteroids, and as prostate specific antigen (PSA). Estrogens failed to both cell lines and, in addition, were able to block the in the cell line T-47D. These data support and exten PSA production by breast tumors and describe an in used to study the phenomenon for possible application of new therapy.	Induction of prostate specific antigen production Itamoxifen in breast cancer cell lines. Yu H, Diamandis EP, Zarghami N, Grass L. Department of Clinical Biochemistry, Toronto Western Divides Hospital, Ontario, Canada. We demonstrate that the steroid hormone receptor-positive tell lines T-47D and MCF-7 can be induced by androgens, prince and the specific antigen (PSA). Estrogens failed to induce so both cell lines and, in addition, were able to block the induction the cell line T-47D. These data support and extend our proposal production by breast tumors and describe an in vitro sy used to study the phenomenon for possible application in production in present the state of the state	Induction of prostate specific antigen production by stero tamoxifen in breast cancer cell lines. Yu H, Diamandis EP, Zarghami N, Grass L. Department of Clinical Biochemistry, Toronto Western Division, Toronto Hospital, Ontario, Canada. We demonstrate that the steroid hormone receptor-positive breast carcell lines T-47D and MCF-7 can be induced by androgens, progesting mineralocorticosteroids, glucocorticosteroids, and antiestrogens, to prostate specific antigen (PSA). Estrogens failed to induce such stimp both cell lines and, in addition, were able to block the induction by an in the cell line T-47D. These data support and extend our previous re PSA production by breast tumors and describe an in vitro system who used to study the phenomenon for possible application in prognosis a of new therapy.

Show: 20 Sort Display Abstract Send to

> Write to the Help Desk
> NCBI | NLM | NIH
> Department of Health & Human Services Privacy Statement | Freedom of Information Act | Disclaimer

> > Dec 21 2004 06:58:40

Entrez PubMed

Page 1 of 1







Structure

Search PubMed PubMed **ULimits**

Nucleotide

Genome

Preview/Index

History

Text Version

Field: Title, Limits: Review

Clipboard

Details

PMC

About Entrez

Search History will be lost after eight hours of inactivity

To combine searches use # before search number, e.g., #2 AND #6.

Search numbers may not be continuous; all searches are represented

Click on query # to add to strategy

Search #25 Related Articles for PubMed (Select 10470195) Most Recent Queries

Result

#24 Search #23 AND #3 Field: Title, Limits: Review

#22 Search #3 AND #21 Field: Title, Limits: Review #23 Search lung Field: Title, Limits: Review

PubMed Services

Journals Database

E-Utilities New/Noteworthy Help | FAQ Overview Entrez PubMed

Tutorial

#21 Search colon Field: Title, Limits: Review

#6 Search #5 AND #3 Field: Title, Limits: Review

#8 Related Articles for PubMed (Select 11434875)

#5 Search breast Field: Title, Limits: Review

Cubby

LinkOut

Clinical Queries Batch Citation Matcher Single Citation Matcher MeSH Database

#2 Search psa Field: Title #3 Search psa Field: Title, Limits: Review

> 10:12:17 10:12:29

> > 9768

12:38:22 15:24:09 15:24:22 15:24:38 15:24:43 15:24:53 16:05:24 Time

177

1562

10:10:02 10:10:10

#1 Search psa

NLM Gateway NLM Catalog

TOXNET

Order Documents Related Resources

PubMed Central ClinicalTrials.gov Clinical Alerts Consumer Health

Privacy Statement | Freedom of Information Act | Disclaimer Department of Health & Human Services Write to the Help Desk NCBI | NLM | NIH

Dec 21 2004 06:58:40